10/693,735

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	0	"66066618".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:34
L5	2	"6606618".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 11:34
L6	12	gerber-robert-h.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:39
L7	4	L6 and "preference" and ("store" near2 "data")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:42
L8	4	L6 and "preference" and ("store" near2 "data") and compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:44
L9	30	knight-holly.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:42
L10	4	L9 and "preference" and ("store" near2 "data") and compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:43
L11	8	krishna-murali-m.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:43

EAST Search History

L12	1	L11 and "preference" and ("store" near2 "data") and compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 15:00
L13	1	nilakantan-niranjan.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:44
L14	9	abileah-shahaf.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:44
L15	1	L14 and "preference" and ("store" near2 "data") and compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:44
L16	21	pather-shyamalan.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:44
L17	3	L16 and "preference" and ("store" near2 "data") and compiler	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 13:44
S1	2	"20050091269"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/28 15:55
S2	2	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) same (schema$6 near3 "data") and ("execution" same occurr$5) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/28 16:03

S3	2	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) same (schema$6 near3 "data") and ("execution" same occurr$5) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/28 16:00
S4	0	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) same (schema$6 near3 "data") and (compil$3 near4 "defined") and "execution" and "occurrence" and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/28 16:04
S5	0	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) same (schema$6 near3 "data") and (compil$3 near4 "defined") and "execution" and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:00
S6	26	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) same ("data" near3 stor$3) and (compil$3 near4 "defined") and "execution" and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 12:07
S7	12	gerber-robert-h.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 10:47
S8	9	(US-20050091269-$ or US-20030105732-$ or US-20020128806-$ or US-20050091184-$).did. or (US-6275986-$ or US-5287514-$ or US-5760768-$ or US-7137099-$ or US-5978793-$).did.	US-PGPUB; USPAT	OR	OFF	2007/01/03 11:00
S9	3	S8 and ("data" near3 "store") and ("preference")	US-PGPUB; USPAT	OR	OFF	2007/01/03 11:06
S10	2	S8 and ("data" near3 "store").CLM. and ("preference").CLM.	US-PGPUB; USPAT	OR	OFF	2007/01/03 11:08
S11	1	S8 and ("data" near3 "store").CLM. and ("preference").CLM. and ("execution" near3 "engine").CLM.	US-PGPUB; USPAT	OR	OFF	2007/01/03 11:08

EAST Search History

S12	1	("data" near3 "store").CLM. and ("preference").CLM. and ("execution" near3 "engine").CLM.	US-PGPUB; USPAT	OR	OFF	2007/01/03 11:09	
S13	84	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) and ("data" near3 stor$3) and ((compil$3 same prefer$4) and execut$4) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 12:26	
S14	1	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) and ("data" near3 stor$3) and ((compil$3 same prefer$4) and execut$4) and ("execution engine")and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 11:25	
S15	2	"6775358".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 11:25	
S16	1	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) and ("data" near3 stor$3) and ((compil$3 same prefer$4) and execut$4) and (preference near4 evaluat$3) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 11:58	
S17	57	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) and ("data" near3 stor$3) and ((compil$3 same prefer$4) and execut$4) and "action" and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 11:58	
S18	90	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) and ("data" near3 stor$3) and ((compil$3 same prefer$4) and execut$4) and "action" and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 11:59	

S19	88	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) and ("data" near2 stor$3) and ((compil$3 same prefer$4) and execut$4) and "action" and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 11:59
S20	6	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) and ("data" near2 stor$3) and ((compil$3 same prefer$4) and execut$4) and (evaluat$4 near3 (preference or "customer$5" or "user defined")) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 12:59
S21	2	"6745180".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 12:26
S22	2	"6826541".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/03 12:59
S23	13	(US-20020103806-$ or US-20020087388-$ or US-20030105732-$ or US-20050091269-$ or US-20050091184-$ or US-20020128806-$).did. or (US-5978793-$ or US-6826541-$ or US-7137099-$ or US-5287514-$ or US-6745180-$ or US-5760768-$ or US-6275986-$).did.	US-PGPUB; USPAT	OR	OFF	2007/01/04 16:56
S24	3	S23 and (compiler or compiling) and (execut$3 and evaluat$4) and (preference) and ("data" near3 "store")	US-PGPUB; USPAT	OR	OFF	2007/01/04 17:26
S25	2469	(compiler or compiling).CLM. and (execut$3 and evaluat$4)".CLM" and (preference).CLM. and ("data" near3 "store").CLM.	US-PGPUB; USPAT	OR	OFF	2007/01/04 17:00

EAST Search History

S26	958	((compiler or compiling).CLM. and (execut$3 and evaluat$4)".CLM" and (preference).CLM. and ("data" near2 "store").CLM.) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:01
S27	2119	((compiler or compiling).CLM. and (execut$3 and evaluat$4)".CLM" and (preference).CLM. and ("data" near2 "store").CLM.) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:01
S28	943	((compiler).CLM. and (execut$3 and evaluat$4)".CLM" and (preference). CLM. and ("data" near2 "store"). CLM.) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:02
S29	0	((compiler).CLM. and (execut$3). CLM. and (preference same evaluat$3).CLM. and ("data" near2 "store").CLM.) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:02
S30	0	((compiler).CLM. and (execution). CLM. and (preference same evaluat$3).CLM. and ("data" near2 "store").CLM.) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:03
S31	0	((compiler).CLM. and (execute). CLM. and (preference same evaluat$3).CLM. and ("data" near2 "store").CLM.) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 17:03
S32	1	"5870746".PN.	US-PGPUB; USPAT	OR	OFF	2007/01/04 17:26
S33	14	(US-20020128806-$ or US-20030105732-$ or US-20050091269-$ or US-20050091184-$ or US-20020103806-$ or US-20020087388-$).did. or (US-6275986-$ or US-5287514-$ or US-5760768-$ or US-5978793-$ or US-7137099-$ or US-6826541-$ or US-6745180-$ or US-5870746-$). did.	US-PGPUB; USPAT	OR	OFF	2007/01/08 12:57
S34	0	S33 and ((validat$4 near3 (proper$2 or correct$2)) near3 install$4)	US-PGPUB; USPAT	OR	OFF	2007/01/08 12:59

S35	0	S33 and ((((validat$4 or verifi$6) near3 (proper$2 or correct$2)) near3 install$4)	US-PGPUB; USPAT	OR	OFF	2007/01/08 13:00
S36	0	S33 and ((((validat$4 or verif$6) near3 (proper$2 or correct$2)) near3 install$4)	US-PGPUB; USPAT	OR	OFF	2007/01/08 13:01
S37	0	S33 and (((valid$4 or verif$6) near3 (proper$2 or correct$2)) near3 install$4)	US-PGPUB; USPAT	OR	OFF	2007/01/08 13:36
S38	3	S33 and (action same condition$4)	US-PGPUB; USPAT	OR	OFF	2007/01/08 13:39
S39	0	S33 and (action same (if nea3 then))	US-PGPUB; USPAT	OR	OFF	2007/01/08 13:40
S40	0	S33 and (action same ("if" nea3 "then"))	US-PGPUB; USPAT	OR	OFF	2007/01/08 14:43
S41	3	S33 and ("SMTP" amd)	US-PGPUB; USPAT	OR	OFF	2007/01/08 14:43
S42	3	S33 and ("SMTP" or "Simple Mail")	US-PGPUB; USPAT	OR	OFF	2007/01/08 14:44
S43	3	S33 and ("internal" or "external") near3 (triger or event or input)	US-PGPUB; USPAT	OR	OFF	2007/01/08 14:45
S44	3	S33 and ("internal" or "external") near3 (trigger or event or input)	US-PGPUB; USPAT	OR	OFF	2007/01/08 14:46
S45	3	S33 and ("internal" or "external") near3 (trigger or event or input or API)	US-PGPUB; USPAT	OR	OFF	2007/01/08 14:46
S46	3	S33 and ("internal" or "external") near4 (trigger or event or input or API)	US-PGPUB; USPAT	OR	OFF	2007/01/08 14:59
S47	103	(event near3 extract) and ((internal or external) near3 (trigger or input or event or API)) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 14:48
S48	36	(event near2 extract) and ((internal or external) near3 (trigger or input or event or API)) and (preference or (user near2 defin$5)) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 14:49
S49	35	(event near2 extract) and ((internal or external) near3 (trigger or input or event)) and (preference or (user near2 defin$5)) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 14:49

EAST Search History

S50	18	(event near2 extract) and ((internal or external) near3 (trigger or input or event)) and (preference) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 14:49
S51	16	(event near2 extract) and ((internal or external) near3 (trigger or input or event)) and (preference) and (store) and (source) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 14:50
S52	3	S33 and ("internal" or "external") near4 (trigger or event or incident or query or input)	US-PGPUB; USPAT	OR	OFF	2007/01/08 15:00
S53	8	S33 and ((trigger or event or incident or query or input) same (extract$3 or handl$3))	US-PGPUB; USPAT	OR	OFF	2007/01/08 15:23
S54	1	S33 and (event near2 extract)	US-PGPUB; USPAT	OR	OFF	2007/01/08 15:24
S55	57	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) and ((event$2 or incident$2 or input$2) same "extract") and "XML" and subscri$5 and "execution" and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:15
S56	19	("preference" same stor$3) and ((event$2 or incident$2 or input$2) same "extract") and "XML" and subscri$5 and "execution" and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:28
S57	126	("preference" same stor$3) and ((event$2 or incident$2 or input$2) same "source") and "XML" and subscri$5 and "execution" and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:28
S58	99	("preference" same stor$3) and ((event$2 or incident$2 or input$2) same "source") and "XML" and subscri$5 and "execution" and (data near3 store) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:29

S59	53	("preference" near5 stor$3) and ((event$2 or incident$2 or input$2) same "source") and "XML" and subscri$5 and "execution" and (data near3 store) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:30
S60	18	(("preference" near5 data) same stor$3)and ((event$2 or incident$2 or input$2) same "source") and "XML" and subscri$5 and "execution" and (data near3 store) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:30
S61	2	"5481700".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:42
S62	2	"6490718".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/08 16:42
S63	18	(US-20020128806-$ or US-20030105732-$ or US-20050091269-$ or US-20050091184-$ or US-20020103806-$ or US-20020087388-$ or US-20030126136-$).did. or (US-6275986-$ or US-5287514-$ or US-5760768-$ or US-5978793-$ or US-7137099-$ or US-6826541-$ or US-6745180-$ or US-5870746-$ or US-6484149-$ or US-5481700-$ or US-6490718-$).did.	US-PGPUB; USPAT	OR	OFF	2007/01/08 16:43
S64	4	S63 and (((event or incident) near4 source) same stor$4)	US-PGPUB; USPAT	OR	OFF	2007/01/08 17:14
S65	3	S63 and (((event or incident) near4 source) same stor$4) and subscri$4	US-PGPUB; USPAT	OR	OFF	2007/01/08 16:45
S66	5	S63 and ((event or incident) same stor$4) and subscri$4	US-PGPUB; USPAT	OR	OFF	2007/01/08 16:50
S67	6	S63 and subscri$4	US-PGPUB; USPAT	OR	OFF	2007/01/08 16:50
S68	4	S63 and (subscri$4 and "XML" and "API")	US-PGPUB; USPAT	OR	OFF	2007/01/08 17:14

S69	18	(US-20050091269-$ or US-20050091184-$ or US-20030105732-$ or US-20020103806-$ or US-20020128806-$ or US-20020087388-$ or US-20030126136-$).did. or (US-7137099-$ or US-6826541-$ or US-6745180-$ or US-5760768-$ or US-6275986-$ or US-5978793-$ or US-5870746-$ or US-5287514-$ or US-6484149-$ or US-5481700-$ or US-6490718-$).did.	US-PGPUB; USPAT	OR	OFF	2007/01/09 10:54
S70	3	S69 and (high near3 end)	US-PGPUB; USPAT	OR	OFF	2007/01/09 10:56
S71	6	S69 and (execut$4 near3 quer$3)	US-PGPUB; USPAT	OR	OFF	2007/01/09 10:57
S72	6	S69 and ((execut$4 or run) near3 quer$3)	US-PGPUB; USPAT	OR	OFF	2007/01/09 10:57
S73	10	S69 and ((execut$4 or run or search$3) near3 quer$3)	US-PGPUB; USPAT	OR	OFF	2007/01/09 11:14
S74	8	S73 and (user near3 (defin$3 or specif$5))	US-PGPUB; USPAT	OR	OFF	2007/01/09 11:14
S75	17	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) and ((install$4 near3 (application or program)) same table$2) and (updat$3 near4 table) and (@ad < "10031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 12:09
S76	30	(("preference" or "customer$5" or ("user" near2 "defined")) same stor$3) and ((install$4 near3 (application or program)) same table$2) and (updat$3 near4 table) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 12:09
S77	23	("preference" same stor$3) and ((install$4 near3 (application or program)) same table$2) and (updat$3 near4 table) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 12:11

EAST Search History

S78	0	((("event" near2 "driven") near3 install$4) and table$2) and (updat$3 near4 table) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 12:13
S79	2	((("event" near2 "driven") near3 install$4) and table$2) and (@ad < "20031024" or @prad < "20031024" or @rlad < "20031024")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/09 12:13